

**OS Validation List**

Updated Date: 10/18/04

Model	Mac OS 10.3	Mac OS X	Mac OS 9	Win XP	Win 2K	Win 98SE	Win ME	Win 98	Win 95	Win NT 4	DOS	Linux	Remarks
223				V	V	V	V	V	V	V			
571				V	V	V	V	V	V	V	V		
581				V	V	V	V						
584				V	V	V	V						
586					V	V	V	V					
591				V	V	V	V	V	V				
1002				V	V	V	V						
1106				V	V	V	V						
1314	V	V	V	V	V	V	V						OS 9.x supports FireWire 400 only OS 10.2.5 or later supports FireWire 400/800
2004				V	V	V	V						
2591				V	V	V	V	V					
5652				V	V	V	V						
7002	V	V	V	V	V	V	V	V					OS 8.6-9.x supports USB 1 OS X or later supports USB 2.0
7003				V	V	V	V						
7004		V		V	V	V	V						
7101				V	V	V	V	V					
7102				V	V	V	V	V					
7207				V	V	V	V						
7384	V	V	V	V	V	V	V						OS 8.6-9.x supports USB 1 OS X or later supports USB 2.0
1582T				V	V	V	V						
1582T				V	V	V	V						
1582V				V	V	V	V						
1CP				V	V	V	V	V	V	V	V	V	
1NP				V	V	V	V	V	V	V	V	V	
1P				V	V	V	V	V	V	V	V		
1S				V	V	V	V	V	V	V	V		
1SSHLL				V	V	V	V	V	V	V	V	V	
2002-2				V	V	V	V						
2103CF				V	V	V	V						
2103CFA				V	V	V	V						
2103MS				V	V	V	V						
2103SC				V	V	V	V						
2103SD				V	V	V	V						
21CS	V			V	V	V	V	V					
21CS		V	V	V	V	V	V						
221N-2				V	V	V	V	V	V	V		V	
222N-2				V	V	V	V	V	V	V		V	
223E				V	V	V	V	V	V	V			
223NP-4				V	V	V	V	V	V	V			
2580E				V	V	V	V	V					
2580H				V	V	V	V	V	V				
2580N				V	V	V	V	V					

**OS Validation List**

Updated Date: 10/18/04

Model	Mac OS 10.3	Mac OS X	Mac OS 9	Win XP	Win 2K	Win 98SE	Win ME	Win 98	Win 95	Win NT 4	DOS	Linux	Remarks
2580N4	V	V	V	V	V	V	V	V					OS 8.6-9.x supports USB 1 OS X or later supports USB 2.0
2CP				V	V	V	V	V	V	V	V	V	
2CS				V	V	V	V	V	V	V			
2NP				V	V	V	V	V	V	V	V	V	
2S				V	V	V	V	V	V	V			
2SH				V	V	V	V	V	V	V			
2SP				V	V	V	V	V	V	V			
2SP+				V	V	V	V	V	V	V			
2SSI				V	V	V	V	V				V	
4SSI				V	V	V	V	V				V	
508D-1				V	V	V	V	V	V	V	V	V	
508D-2				V	V	V	V	V	V	V	V	V	
508G				V	V	V	V	V	V	V	V	V	
508H				V	V	V	V	V	V	V	V	V	
509BD-2				V	V	V	V	V	V	V	V	V	
509D6-1					V	V	V	V	V	V	V	V	
509D6-2					V	V	V	V	V	V	V	V	
509S-1				V	V	V	V	V	V	V	V	V	
509S-2					V	V	V	V	V	V	V	V	
535-4						V	V	V	V	V	V	V	
557A					V	V	V	V	V	V	V	V	
557AK					V	V	V	V	V	V	V	V	
557B					V	V	V	V	V	V	V	V	
557C					V	V	V	V	V	V	V	V	
571A					V	V	V	V	V	V			
571H					V	V	V	V	V	V			
571S-4				V	V	V	V			V		V	
580-4O				V	V	V	V	V	V				
580C				V	V	V	V	V	V				Win 95 needs v. 4.00.950 B with USB Supplement Installed
580H				V	V	V	V	V	V				
580I4				V	V	V	V	V	V				
580PH				V	V	V	V	V					
582-6					V	V	V						
582H10					V	V	V						
582H3					V	V	V						
582H3				V	V	V	V						
582H6					V	V	V						
582H6				V	V	V	V						
582I5					V	V	V						
582V2					V	V	V						
588A					V	V	V	V					
591A					V	V	V	V	V				
606RSF					V	V	V	V	V				
607A					V	V	V	V	V				

**OS Validation List**

Updated Date: 10/18/04

Model	Mac OS 10.3	Mac OS X	Mac OS 9	Win XP	Win 2K	Win 98SE	Win ME	Win 98	Win 95	Win NT 4	DOS	Linux	Remarks
8000DU				V	V	V	V						
801V10P				V	V	V	V			V			
801V60				V	V	V	V	V	V	V	V		
801V75					V	V	V	V	V	V	V	V	
898B					V	V	V	V	V	V	V	V	
910U					V	V	V	V	V	V	V	V	
930W					V	V	V	V	V	V	V	V	
ASA150D				V	V	V	V			V			
CBS220				V	V								
EEU320				V	V	V	V						
EEU520				V	V	V	V						
F2205				V	V	V	V						
F2208	V	V		V	V	V	V						
F2580N				V	V	V	V	V					
F7002				V	V	V	V						
F7209	V	V		V	V	V	V						
F7210				V	V	V	V						
F7771				V	V	V	V						
GPS110						?	?						
GPS120						?	?						
HFW410	V	V	V	V	V	V	V						
KB-FOLD-PS2				V	V	V	V	V	V	V	V	V	
KB-FOLD-USB				V	V	V	V	V					
KB-MFOLD-PS2				V	V	V	V	V	V	V	V	V	
L220N-1				V	V	V	V	V	V	V			
PFU331	V	V		V	V	V	V						
PFW310				V	V	V	V						
PIR133				V	V	V	V	V	V				
PP110				V	V	V	V	V	V	V			
PSA150				V	V	V	V			V		V	
PSE110		V	V	V	V	V	V	V				V	
PSE120		V	V	V	V	V	V	V				V	
PSE130	V	V	V	V	V	V	V	V				V	
PU210		V	V	V	V	V	V	V	V				Win 95 needs v. 4.00.950 B with USB Supplement Installed
PU320				V	V	V	V	V	V				Win 95 needs v. 4.00.950 B with USB Supplement Installed
PU520				V	V	V	V	V					
RC1220				V	V	V	V	V					
RC610	V	V	V	V	V	V	V						
RC620	V	V	V	V	V	V	V						
RCM1020-B	V	V	V	V	V	V	V						
Reborn-PCI				V	V	V	V	V	V	V	V	V	Linux doesn't support Instant Restore Mode
Reborn-PCI-N				V	V	V	V	V	V	V			
UB110				V	V	V	V						
UIR110				V	V	V	V						
USB-FAN	V	V	V	V	V	V	V	V	V			V	

**OS Validation List**

Updated Date: 10/18/04

Model	Mac OS 10.3	Mac OS X	Mac OS 9	Win XP	Win 2K	Win 98SE	Win ME	Win 98	Win 95	Win NT 4	DOS	Linux	Remarks
USB-LIGHT	V	V	V	V	V	V	V	V	V			V	